BRAKE PARTS for Calipers, Disc & Drum Brakes







QUICK BRAKE



OJD Automotive The Brake Accessory specialist from Denmark

OJD Automotive was founded in 1971, which means that we have more than 50 years of experience in Brake Accessories. With our extensive product range QUICK BRAKE, we cover more than 90% of the European and Asian vehicle types.

Through constant development our product lines are updated accordingly to requests in the market.

Our Product Range includes:

Brake Lines (Copper, Copper-Nickel and Steel) Brake Components (Screws, Fittings, Bolts etc.) Brake Accessory Kits Brake Hoses Brake Wear Sensors

Our extensive knowledge base, built up since 1971, enable us to be dynamic, creative and competent. We are able to professionally guide our customer in the purchase of our complete product line. On the basis of good business acumen, trust and knowledge.

OJD Automotive ApS is certified according to the quality standard system ISO 9001 and ISO 14001. Furthermore, we are approved supplier to main brake system and Brake Pad/Shoe manufacturers.




Brake Lines

Copper, Copper-Nickel and Steel

ABE release for CUNI Brake Lines KBA No. 61429





Brake Line Sets

All Brake Lines required for a specific car model.

The Brake Lines are ready to fit, in correct lengths, flarings and fittings are pre-made.

All is supplied in one box with application details. A complete set ensures a complete maintenance of the brake line system.




Ref.	Description
CU-0200A-A	Loose Brake Line with fittings
CU-0700A-A	Loose Brake Line with fittings
CU-0300A-A	Loose Brake Line with fittings
CU-0650A-A	Loose Brake Line with fittings
CU-0510A-A	Loose Brake Line with fittings
CU-0800A-A	Loose Brake Line with fittings
CU-0100A-A	Loose Brake Line with fittings
CU-0500A-A	Loose Brake Line with fittings
CU-0150A-A	Loose Brake Line with fittings
CU-0400A-A	Loose Brake Line with fittings
CU-0610A-A	Loose Brake Line with fittings
CU-0260A-A	Loose Brake Line with fittings
CU-0360A-A	Loose Brake Line with fittings
CU-0480A-A	Loose Brake Line with fittings

Brake Lines

The individual Brake Lines are ready to fit. Correct length, flaring and fittings are premade, enabling the mechanic to do a specific repair.

Furthermore you can find our brake lines in TecDoc linked to vehicles.



Brake Lines

Copper, Copper-Nickel and Steel





Copper

Ref.	Diameter	Length
1910 CU	3/16"	7,62 m
1910R CU-5M	3/16"	5 m
1911R CU-10M	3/16"	10 m
1911R CU-25M	3/16"	25 m
1911 CU RING	3/16"	50 m
1912 CU RING	3/16"	142 m
1920 CU	1/4"	7,62 m
1922 CU RING	1/4"	100 m
1930 CU	5/16"	7,62 m
1932 CU RING	5/16"	77 m
1940 CU	3/8"	7,62 m
1942 CU RING	3/8"	63 m
1950 CU	5 mm	5 m
1951 CU RING	5 mm	50 m
1952 CU RING	5 mm	134 m
1960 CU	6 mm	5 m
1962 CU RING	6 mm	107 m
1970 CU	8 mm	5 m
1972 CU RING	8 mm	75 m
1972 CU RING	8 mm	75 m
1980 CU	10 mm	5 m
1982 CU RING	10 mm	60 m



Copper-Nickel

Ref.	Diameter	Length
1915 CUNI	3/16"	5 m
1917 CUNI RING	3/16"	10 m
1916 CUNI RING	3/16"	25 m
1925 CUNI	1/4"	5 m
1935 CUNI	5/16"	5 m
1965 CUNI	6 mm	5 m
1967 CUNI RING	6 mm	10 m



Ref.DiameterLength0181 ST RING3/16"5 m0186 ST RING6 mm5 m

The Brake Lines are supplied in small or large coils with no flarings or fittings. The mecanics cut into the requested length and produce the flaring and mount the correct fittings.

In order to secure a safe braking, the Brake Lines play an important part and should be inspected during every brake check. The benefits of changing the Brake Lines are:

Increased safety for the customers.

- Ready to fit lines and sets reduce brake repair time.
- Complete brake repair.
- Reputation as a brake specialist.

For further information please check at your local wholesaler.

Ref. 0001



Fittings for Brake Lines

Ref.	d1	d2	s x tl	Pcs.
A	M10 x 1,00	ø5,0	11 x 16,7	20
В	M12 x 1,00	ø6,0	12 x 18,0	5
B5.0	M12 x 1,00	ø5,0	12 x 20,0	5
E	M10 x 1,00	ø5,0	14 x 14,0	5
F	3/8" x 24 UNF	ø5,0	11 x 21,0	20
Н	3/8" x 24 UNF	ø5,0	14 x 17,5	5
J	3/8" x 24 UNF	ø5,0	10 x 14,4	5
КΧ	3/8" x 24 UNF	ø5,0	12 x 16,0	5
L	M10 x 1,25	ø5,0	10 x 19,5	10
М	M10 x 1,25	ø5,0	10 x 14,2	10
S	3/8" x 24 UNF	ø5,0	10 x 18,0	10
ТΧ	M10 x 1,00	ø5,0	10 x 18,0	10
Total				110




Ref. 0001A 🧠/🔍




Fittings and Connectors for Brake Lines

Ref.	d1	d2	s x tl	Pcs.
BX	M12 x 1,00	ø6,5	12 x 18,0	5
С	M10 x 1,00	ø5,0	11 x 24,8	5
EV	M10 x 1,00	ø5,0	14 x 15,0	5
OAA	M10 x 1,00	ø3,5	14 x 24,0	5
OBB	M12 x 1,00	ø4,0	17 x 29,0	2
OFF	3/8" x 24 UNF	ø6,1	14 x 33,2	2
ΟΚΚ	3/8" x 24 UNF	ø3,2	11 x 28,0	2
PA	7/16" x 24 UNF	ø6,5	12 x 15,5	2
PF	1/2" x 20 UNF	ø5,0	13 x 18,0	2
PG	7/16" x 20 UNF	ø5,0	12 x 21,5	5
Т	M10 x 1,00	ø5,0	10 x 18,0	5
Х	For one 3/16" or 5 mm line			5
Total				45









Ref.	d1	d2	s x tl	Pcs.
A	M10 x 1,00	ø5,0	11 x 16,7	10
В	M12 x 1,00	ø6,0	12 x 18,0	5
B5.0	M12 x 1,00	ø5,0	12 x 20,0	5
BX	M12 x 1,00	ø6,5	12 x 18,0	4
С	M10 x 1,00	ø5,0	11 x 24,8	4
D	M10 x 1,00	ø5,0	10 x 16,7	5
E	M10 x 1,00	ø5,0	14 x 14,0	5
EV	M10 x 1,00	ø5,0	14 x 15,0	4
F	3/8" x 24 UNF	ø5,0	11 x 21,0	5
Н	3/8" x 24 UNF	ø5,0	14 x 17,5	4
J	3/8" x 24 UNF	ø5,0	10 x 14,4	4
КΧ	3/8" x 24 UNF	ø5,0	12 x 16,0	4
L	M10 x 1,25	ø5,0	10 x 19,5	5
М	M10 x 1,25	ø5,0	10 x 14,2	4
PF	1/2" x 20 UNF	ø5,0	13 x 18,0	4
S	3/8" x 24 UNF	ø5,0	10 x 18,0	5
Т	M10 x 1,00	ø5,0	10 x 18,0	4
ТΧ	M10 x 1,00	ø5,0	10 x 18,0	10
Total				91




Ref. 0001C Connectors for Brake Lines

Ref.	d1	d2	s x tl	Pcs.
OAA	M10 x 1,00	ø3,5	14 x 24,0	2
OBB	M12 x 1,00	ø4,0	17 x 29,0	2
ODD	M10 x 1,00	ø3,5	14 x 24,0	2
OEE	M10 x 1,00	ø3,2	11 x 28,0	2
OFF	3/8" x 24 UNF	ø3,1	14 x 33,2	2
ОКК	3/8" x 24 UNF	ø3,2	11 x 28,0	2
O3A	M10 x 1,00	-	_	1
O3B	M12 x 1,00	-	-	1
OAE	M10 x 1,00	ø3,5	14 x 29,0	2
OBE	M12 x 1,00	ø3,2	15 x 32,0	2
STT	Connector for 3/	'16" line	25	2
STT5.0	Connector for 5	mm line	es	2
Total		-		22

d2 d1





d1

Ref. 0001D

Clips & Connectors for Brake Lines

Ref.	Description	Pcs.
W	Connector for two 3/16" or 5 mm lines	4
WA	Connector for two 3/16" or 5 mm lines	4
WB	Connector for two 3/16" or 5 mm lines	4
WD	Connector for three 3/16" or 5 mm lines and two 5/16" or 8 mm lines	2
х	Connector for two 3/16" or 5 mm lines	4
ХА	Connector for two 3/16" or 5 mm lines	4
ХВ	Connector for one 1/4" or 6 mm lines	4
XC	Connector for one 5/16" or 8 mm lines	4
STT	Connector for 3/16" lines	2
STT5.0	Connector for 5 mm lines	2
STT6.0	Connector for 6 mm lines	2
STT8.0	Connector for 8 mm lines	2
Total		38




Ref. 0002



Bleeder Screws

Ref.	Description	d	s x tl	Pcs.
0010	Bleeder Screw	M8 x 1,25	9 x 41,5	5
0017	Bleeder Screw	M10 x 1,00	10 x 34,0	5
0033	Bleeder Screw	M6 x 1,00	7 x 29,0	5
0039	Bleeder Screw	M10 x 1,00	11 x 29,9	5
0053	Bleeder Screw	M7 x 1,00	7 x 21,7	5
0086	Bleeder Screw	M7 x 1,00	7 x 30,5	5
0087	Bleeder Screw	M7 x 1,00	7 x 38,3	5
0100	Bleeder Screw	M8 x 1,25	8 x 24,5	5
0107	Bleeder Screw	3/8" x 24 UNF	10 x 31,0	5
0108	Bleeder Screw	3/8" x 24 UNF	10 x 36,7	5
0120X	Bleeder Screw	1/4" x 24 UNF	8 x 28,0	5
0125	Dust cap			20
Total				75







Bleeder Screws

Ref.	Description	d	s x tl	Pcs.
0011	Bleeder Screw	M8 x 1,25	9 x 35,5	5
0013	Bleeder Screw	M6 x 1,00	7 x 38,0	5
0015	Bleeder Screw	M8 x 1,25	9 x 32,5	5
0018	Bleeder Screw	M10 x 1,00	10 x 36,5	5
0019	Bleeder Screw	M10 x 1,00	11 x 36,0	5
0069	Bleeder Screw	M7 x 1,00	7 x 28,6	5
0085	Bleeder Screw	M8 x 1,25	9 x 49,0	5
0088	Bleeder Screw	M7 x 1,00	9 x 33,0	5
0089	Bleeder Screw	M8 x 1,00	8 x 32,0	5
0090	Bleeder Screw	M8 x 1,00	9 x 33,5	5
0094	Bleeder Screw	M7 x 1,00	8 x 55,5	5
0125	Dust cap			20
Total				75





Ref. 0004B 🧼

Fixing Screws for Disc and Drum Brakes

Ref.	Description	d	s x tl	Pcs.
11660	Screw	M6 x 1,00	14,0 x 15,0	4
11661	Screw	M8 x 1,00	14,0 x 12,5	4
11662	Screw	M8 x 1,25	15,9 x 15,7	6
11663	Screw	M8 x 1,25	15,5 x 17,0	4
11664	Screw	M12 x 1,5	18,8 x 21,3	6
11665	Screw	M8 x 1,25	15,8 x 16,1	4
11666	Screw	M10 x 1,25	13,3 x 19,4	4
11667	Screw	M6 x 1,00	11,0 x 16,1	6
11668	Screw	M8 x 1,25	10,9 x 15,6	6
11669	Screw	M10 x 1,50	10,0 x 18,9	4
11670	Screw	M10 x 1,50	18,0 x 19,7	6
11671	Screw	M6 x 1,00	11,0 x 14,0	4
Total				58









Fixing Screws for Disc and Drum Brakes

Ref.	Description	d	s x tl	Pcs.
11558X	Screw	M10 x 1,50	20,0 x 38,6	5
11622	Screw	M6 x 1,00	11,7 x 19,9	5
11667	Screw	M6 x 1,00	11,0 x 16,1	5
11671	Screw	M6 x 1,00	11,0 x 14,0	5
11672	Screw	M8 x 1,25	11,8 x 17,8	5
11673	Clip	ø21,5 x 3,0		5
11674	Screw	M8 x 1,25	12,0 x 36,6	5
11675	Screw	M10 x 1,50	15,5 x 27,3	5
11676	Screw	M8 x 1,25	14,3 x 20,0	5
11677	Screw	M10 x 1,25	15,9 x 38,0	5
11678	Screw	M8 x 1,25	12,0 x 31,6	5
11679	Screw	M10 x 1,00	20,6 x 22,0	5
Total				60



Ref. 0009

Clips for Brake Hoses

Ref.	Description	d	Pcs.
3200	Brake Hose Clip		4
3201	Brake Hose Clip		4
3202	Brake Hose Clip		6
3203	Brake Hose Clip		4
3205	Brake Hose Clip		4
3206	Brake Hose Clip	1	4
3207	Brake Hose Clip		4
3208	Brake Hose Clip		4
3209	Brake Hose Clip		4
3210	Brake Hose Clip		4
3212	Brake Hose Clip		6
3213	Brake Hose Clip		4
3214	Brake Hose Clip		2
3216	Brake Hose Clip		2
3219	Brake Hose Clip		4
3220	Brake Hose Clip		4
3211	Copper washer	ø10,0 x 1,5	10
3218	Copper washer	ø12,3 x 0,8	4
Total			78



Ref. 0009A 💞

Banjo Bolts for Brake Hoses

Ref.	Description	d	s x tl	Pcs.
3250	Banjo Bolt	M12 x 1,00	17 x 24,0	4
3251	Banjo Bolt	M10 x 1,00	14 x 27,1	4
3252	Banjo Bolt	M10 x 1,50	11 x 28,1	4
3253	Banjo Bolt	M12 x 1,00	13 x 28,9	4
3254	Banjo Bolt	M10 x 1,00	16 x 32,3	4
3255	Banjo Bolt	M12 x 1,00	17 x 28,0	4
3256	Banjo Bolt	M10 x 1,00	12 x 31,4	4
3257	Banjo Bolt	M10 x 1,50	12 x 30,5	4
3258	Banjo Bolt	M10 x 1,00	11 x 37,0	4
3259	Banjo Bolt	M10 x 1,00	13 x 27,2	4
3260	Banjo Bolt	M10 x 1,50	11 x 28,1	4
3261	Banjo Bolt	M10 x 1,00	14 x 32,2	4
3262	Banjo Bolt	M10 x 1,00	12 x 29,2	4
3263	Banjo Bolt	M10 x 1,00	13 x 25,6	4
3211	Copper Washer	ø10,0 x 1,5		6
3218	Copper Washer	ø12,3 x 0,8		6
3225	Aluminium Washer	ø10,0 x 1,5		6
3226	Aluminium Washer	ø12,0 x 1,5		6
Total				80



Brake Hoses



In order to secure a safe braking, the Brake Hoses play an important part and should be inspected during every brake check

We carry a complete range which covers all European and Asian cars. Our program also includes the clips to mount and secure the hoses.


Please contact your local wholesaler for further information.

(1:1) Brake Line Fittings, Clips & Connectors

	·	d1 d2 s x tl		d1 d2 sxtl
A Available	in stainless steel (Ref: A-A2	M10 x 1 ø5,0 11 x 16,7 Alfa Romeo, Audi, BMW, Chevrolet, Citroën, Dacia, Fiat, Ford, Honda, Hyundai, Kia, Mitsubishi, Mercedes, Nissan, Opel, Peugeot, Renault, Rover, Saab, Seat, Skoda, Suzuki, Toyota, Volvo, VW	E	M10 x 1 ø5,0 14 x 14,0 Alfa Romeo, Audi, Citroën, Fiat, Ford Opel, Peugeot, Renault, Rover, Seat Saab, Volvo, VW
В		M12 x 1 ø6,0 12 x 18,0 Audi, Ford, Peugoet, Saab, Seat, Volvo, VW	EB	M12 x 1 ø5,0 15 x 21,5 Citroën, Ford, Peugeot, Seat, VW
B5.0		M12 x 1 ø5,0 12 x 20,0 Alfa Romeo, Audi, BMW, Citroën, Chevrolet, Daewoo, Fiat, Ford, Honda, Mazda, Nissan, Opel, Peugeot, Renault, Seat, Skoda, Saab, Suzuki, Volvo, VW	EV	M10 x 1 ø5,0 14 x 15,0 Opel, Volvo
B5L		M12 x 1 ø5,0 13 x 24,0 Alfa Romeo, Citroën, Fiat, Mazda, Peugeot	F	3/8" x 24UNF ø5,0 11 x 21,0 Renault, Saab, Vauxhall, Volvo
BX		M12 x 1 ø6,5 12 x 18,0	G	3/8" x 20UNF ø5,0 11 x 22,4 Rover
С		M10 x 1 ø5,0 11 x 24,8 Hyundai	Н	3/8" x 24UNF ø5,0 14 x 17,5 Bedford, Rover, Saab, Talbot, Vauxhall, Volvo
CI 021	6X	M8 x 1,25 ø3,8 8 x 19,5 Citroën	HA	M10 x 1 ø5,0 15 x 23,0 Alfa Romeo, Citroen, Fiat, Mazda, Mercedes, Nissan, Opel, Seat
CI 021	7	M9 x 1,25 ø4,8 9 x 20,8 Citroën	J	3/8" x 24UNF ø5,0 10 x 14,4 Volvo and US cars
D		M10 x 1 ø5,0 10 x 16,7 Chevrolet, Daihatsu, Daewoo, Hyundai, Kia, Nissan, Opel, Skoda, Toyota, Vauxhall, VW	кх	3/8" x 24UNF ø5,0 12 x 16,0 Volvo
DL		M10 x 1 ø5,0 10 x 23,0 Honda, Kia, Suzuki, Toyota, Volvo, VW		M10 x 1,25 ø5,0 10 x 19,5 Autobianchi, Dacia, Fiat, Lada, Lancia, Zastava
	s	$ \begin{array}{c} $		∰ \$ d2


		d1 d2 sxtl		d1 d2 s x tl
М	INVIATE -	M12 x 1,25 ø5,0 10 x 14 Mazda	2 OAE	2 x M10 x 1 ø3,5 14 x 29,0 Connector For single/double flaring.
N		M12 x 1,25 ø6,5 14 x 19 Eastern European + Fiat 238	4 OBB	2 x M12 x 1 ø4,0 17 x 29,0 For double flaring.
N5.0		M12 x 1,25 ø5,0 13 x 19 Iveco	5 OBE	2 x M12 x 1 ø3,2 15 x 32,0 Connector For single/double flaring.
O3A		3 x M10 x 1 For single flaring.	ODD	2 x M10 x 1 ø3,5 14 x 24,0 For double flaring.
O3B		3 x M12 x 1 For double flaring.	OEE	2 x M10 x 1 ø3,2 11 x 28 For double flaring.
O3D		3 x M10 x 1 For double flaring.	OFF	2 x 3/8" x 24UNF ø3,1 14 x 33,2 For single flaring.
04A		4 x M10 x 1 For single flaring.	OKK	2 x 3/8" x 24UNF ø3,2 11 x 28,0 For double flaring
OAA		2 x M10 x 1 ø3,5 14 x 24,0 For single flaring.	P	7/16" x 24UNF ø5,0 12 x 23,0 Peugeot

(1.1)				d1 d2 sxtl
P6.5		7/16" x 24UNF ø6,5 12 x 22,7 Peugeot with 1/4" lines	STT	Connector for 3/16" lines Assembles without flarings For Cu, CuNi and Steel Brake Lines
PA		7/16" x 24UNF ø6,5 12 x 15,5 British and US cars with 1/4" lines	STT5.0	Connector for 5 mm lines Assembles without flarings For Cu, CuNi and Steel Brake Lines
PA5.0		7/16" x 24UNF ø5,0 11 x 21,0 British and US cars with 1/4" lines	STT6.0	Connector for 6 mm lines Assembles without flarings For Cu, CuNi and Steel Brake Lines
PE		½" x 20UNF	STT8.0	Connector for 8 mm tubes Assembles without flarings For Cu, CuNi and Steel Brake Lines
PF		½" x 20UNF ø5,0 13 x 18,0 Peugeot		M10 x 1 ø5,0 10 x 18,0
PF6.0		½" x 20UNF		M10 x 1 ø5,0 10 x 18,0 Chevrolet, Daewoo, Daihatsu, Honda, Hyundai, Isuzu, Mazda, Mitsubishi, Nissan, Opel, Suzuki, Toyota, VW
PG		7/16" x 20UNF ø5,0 12 x 21,5 Renault, Rover, Talbot	TXL	M10 x 1 ø5,0 10 x 21,0 Kia, Nissan, Suzuki, Toyota
PH	A Married	7/16" x 20UNF ø6,5 14 x 24,0 Bedford with 1/4" lines	w (S_)	For fastening two 3/16" or 5 mm lines
PX		7/16" x 20UNF ø6,5 12 x 23,0 Peugeot	WA KA	For fastening two 3/16" or 5 mm lines Use 8 mm drill
S		3/8" x 24UNF ø5,0 10 x 18,0 Peugeot, Talbot, Volvo	WB	For fastening three 3/16" or 5 mm lines Use 7 mm drill
	s			d2 d1




Bleeder Screws

(1:1)	Bleeder	Screws		
	d1 s x tl		d1	s x tl
0010	M8 x 1,25 9 x 41,5 Citroën, Fiat, Lancia, Mercedes, Opel, Peugot, Seat, Skoda, Smart, Vauxhali, Volvo, VW	0033	M6 x 1 Audi, BMW, Fiat, Mer Opel, Saab, Seat, VW	
0011	M8 x 1,25 9 x 35,5	0039	M10 x 1	11 x 29,9
	Chevrolet, Chrysler, Citroën, Daewoo, Ford, Honda, Mercedes, Mini, Opel,Renault, Saab, Skoda, Suzuki, Vauxhall, Volvo	Available in stainless steel (Ref: 0039-A2)	Chrysler, Citroën, Dae Dodge, Fiat, Ford, Ho Jaguar, Kia, Land Ro Mitsubishi, Nissan, O Rover, Saab, Seat, Si	nda, Hyundai, Iveco, ver, Mazda, Mercedes, pel, Peugeot, Renault,
0013	M6 x 1 7 x 38,0 Audi, Seat, Skoda, Subaru, VW	0040	M12 x 1 Ford	13 x 31,4
0015	M8 x 1,25 9 x 32,5	0053	M7 x 1	7 x 21,7
	Alfa Romeo, Audi, BMW, Chevrolet, Citroën, Fiat, Ford, Honda, Land Rover, Mazda, Mercedes, Mini, Nissan, Opel, Peugeot, Renault, Saab, Seat, Skoda, Toyota, Vauxhall, Volvo, VW		Alfa Romeo, BMW, C Daihatsu, Fiat, Ford, I Mazda, Mitsubishi, Ni Renault, Rover, Seat, Talbot, Vauxhall, Volv	Hyundai, Isuzu, ssan, Opel, Peugeot, Skoda, Smart,
0016	M10 x 1 10 x 31,6	0053X	M7 x 1	7 x 26,2
	Chevrolet, Hyundai, Kia		Citroën, Fiat, Ford, M Opel, Peugeot, Renar Volvo	
0017	M10 x 1 10 x 34,0	0069	M7 x 1	7 x 28,6
	Alfa Romeo, Audi, BMW, Chevrolet, Daewoo, Daihatsu, Ford, Honda, Hyundai, Isuzu, Kia, Lancia, Mazda, Mini, Mitsubishi, Nissan, Opel, Peugeot, Renault, Rover, Skoda, Subaru, Suzuki, Toyota, Vanden Plas, Vauxhall,Volvo, VW		Alfa Romeo, Citroën, Lancia, Mazda, Mitsu Peugeot, Renault, Ro Suzuki,Talbot, Toyota	bishi, Nissan, ver, Seat, Skoda,
0018	M10 x 1 10 x 36,5	0085	M8 x 1,25	9 x 49,0
	Daihatsu, Ford, Iveco, Rover, Talbot (Simca), Toyota, Triumph		Ford, Mercedes	
0019	M10 x 1 11 x 36,0	0086	M7 x 1	7 x 30,5
	Alfa Romeo, Audi, BMW, Chevrolet, Citroën, Daewoo, Fiat, Ford, Honda, Hyundai, Kia, Lancia, Land Rover, Mazda, Mercedes, MG, Mitsubishi, Nissan, Opel, Peugeot, Seat, Skoda, Ssangyong, Subaru, Suzuki, Toyota, Volvo, VW		Alfa Romeo, Audi, BM Daihatsu, DAF, Fiat, F Lancia, Land Rover, N Mitsubishi, Nissan, O Renault, Rover, Saab Suzuki, Talbot, Toyota	Ford, Honda, Jaguar, Mazda, Mercedes, pel, Peugeot, , Seat, Subaru,
0020	M10 x 1 11 x 41,8	0087	M7 x 1	7 x 38,3
	Mercedes		Alfa Romeo, Audi, BM Daihatsu, Ford, Mazd Renault, Saab, Seat, Talbot, Toyota, Vauxh	a, Opel, Peugeot, Skoda, Subaru,



Bleeder Screws

(1:1)d1 sxtl d1 sxtl 0088 0103 M7 x 1 9 x 33,0 M10 x 1,5 10 x 29,5 Citroën, Daihatsu, Fiat, Mazda, Mercedes, Mitsubishi, Nissan, Opel, Cadillac, Chevrolet, Chrysler, Ford, Opel, Pontiac Peugeot, Renault, Saab, Subaru, Suzuki, Toyota, Vauxhall 0089 0105 M8 x 1 8 x 32,0 1/4" x 28UNF 7 x 28,5 Ford, Kia, Mazda Rover, Vauxhall 0090 0107 M8 x 1 9 x 33,5 3/8" x 24UNF 10 x 31,0 Chrysler, Ford, Hyundai, MG, Mitsubishi, Nissan, Rover, Sunbeam, Suzuki, Talbot, Vauxhall, Volvo Kia, Mazda, Mercedes, Mitsubishi, Opel, Saab, Suzuki, Toyota, Vauxhall 0091 0108 10 x 36,7 8 x 38,0 3/8" x 24UNF M8 x 1 • Jaguar, Lotus, Morgan, Rover, Saab, Sunbeam, Talbot, Triumph, Vauxhall Mazda 0092 0120X M8 x 1,25 8 x 34,7 1/4" x 28UNF 8 x 28,0 Iveco, Rover, Volvo 0093 0122 8 x 28,0 5/16" x 24UNF 8 x 25,5 M8 x 1,0 Hyundai, Kia, Mazda, Mitsubishi, Hyundai, Kia Suzuki 0094 0123 8 x 55,5 M7 x 1 M10 x 1,5 10 x 37.6 Ford, Mitsubishi Chrysler 0100 0125 M8 x 1,25 8 x 24,5 Dust Cap Alfa Romeo, Autobianchi, Citroën, All Bleeder Screws Daewoo, Fiat, Ford, Honda, Jaguar, Kia, Lada, Lancia, Mazda, Mercedes, Misubishi, Nissan, Opel, Peugeot, Polmo, Renault, Rover, Saab, Seat, Talbot, Toyota, Vanden-Plas, Vauxhall, Wartburg, Zastava 0101 0126 M10 x 1,25 10 x 28,0 Dust Cap Honda, Rover All Bleeder Screws 0102 M10 x 1,25 10 x 33.0 Honda, Rover



(1:1)

Brake Hose Clips & Washers


3200	Fiat, Mercedes, Opel, Renault, Skoda, Vauxhall, VW	3208	Alfa Romeo, Daihatsu, Ford, Hyundai, Kia, Mazda, Mitsubishi, Nissan, Suzuki, Volvo
3201	Alfa Romeo, Autobianchi, Citroën, Fiat, Ford, Kia, Lada, Lancia, Land Rover, Opel	3209	Citroën, Fiat, Lancia, Peugeot, Renault, Pegeot, Saab, Seat, Smart, Vauxhall, VW, Zastava
3202	Alfa Romeo, Audi, BMW, Citroën, Dacia, Mercedes, Mini, Nissan, Opel, Peugeot, Renault, Seat, Talbot, Toyota, Vauxhall, VW	3210	Daihatsu, Lexus, Toyota, VW
3203	Daihatsu, Mercedes, Subaru, Toyota	3211	ø10 x 1,5 Copper UNIVERSAL
3205	Alfa Romeo, Citroën, Fiat, Kia, Lancia, Mazda, Mercedes, Peugeot, Talbot	3212	Alfa Romeo, Audi, Citroën, Dacia, Land Rover, Mercedes, Mitsubishi, Nissan, Opel, Peugeot, Porsche, Renault, Rover, Seat, Skoda, Saab, Toyota, Vauxhall, Volvo, VW
3206	Bedford, Chevrolet, Daewoo, Ford, Isuzu, Opel, Rover, Saab, Suzuki, Vauxhall	3213	Ford, Jaguar, Kia, Mazda
3207	Audi, BMW, Fiat, Honda, Lancia, Land Rover, Mazda, MG, Rover, Seat, Skoda, VW	3214	Ford


Brake Hose Clips & Washers





						~
3216		Citroën, Daihatsu, Honda, Lexus, Peugeot, Toyota	3223	P	Mercedes	
3217		Hyundai, Kia, Mitsubishi, Opel, Smart, Subaru, Suzuki, Vauxhall	3224		Renault	
3218	0	ø12,3 x 0,8 Copper UNIVERSAL	3225	0	ø10,0 x 1,5 Aluminium UNIVERSAL	
3219		Ford, Hyundai, Kia, Mazda	3226	0	ø12,0 x 1,5 Aluminium UNIVERSAL	
3220		Subaru	3231	0	M10 x 1 Volvo 240	17 x 8
		Subaru	3232	\bigcirc	3/8" x 24UNF	14 x 5,5
3221		BMW	3290		Plastic clamp	
3222		BMW	3291		Plastic support cl	ip


(1:1)			Banjo Bolts		
	d	s x tl		d	s x tl
3250	M12 x 1	17 x 24,0	3258	M10 x 1 Opel	11 x 37,0
3251	M10 x 1 Honda, Mitsubishi,	14 x 27,1 Toyota	3259	M10 x 1 Mitsubishi	13 x 27,2
3252	M10 x 1,5 Opel	11 x 28,1	3260	M10 x 1,5 VAG	11 x 28,1
3253	M12 x 1 Saab	13 x 28,9	3261	M10 x 1 Fiat, Honda, Mazda Toyota	14 x 32,2 a, Opel, Suzuki,
3254	M10 x 1 Ford	16 x 32,3	3262	M10 x 1 Kia, Mitsubishi	12 x 29,2
3255	M12 x 1	17 x 28,0	3263	M10 x 1 Peugeot	13 x 25,6
3256	M10 x 1 Hyundai, Kia, Niss	12 x 31,4 an			
3257	M10 x 1,5 Chevrolet, Opel	12 x 30,5			




















QUICK Repair system


- Which parts are most often forgotten or not replaced when changing Brake Shoes or Brake Pads?
- Do you know that the spring force will reduce with up to 50% to 70% within 1-2 years?



When reparing the brakes, for technical and safety reasons, it is recommended also to change the Accessory Kit. This to ensure even braking ability and functionality.

Safety comes first

QUICK Repair for Brake Shoes



When changing the Brake Shoes, for technical and safety reasons, it is recommended also to change the Accessory Kit, the Brake Adjuster Kit or the Expander Lock Kit. This to ensure even braking ability and functionality.

QUICK Repair for Caliper & Brake Pads



When repairing the Caliper, for technical and safety reasons, it is recommended also to change the Brake Caliper Piston Seal Kit, the Guide Sleeve Kit, the Accessory Kit for the Brake Pads and the Wear Sensor Kit. This to ensure even braking ability and functionality.

QUICK Brake Wear Sensors

OJD Range:

• OJD range covers 95% of the European car park.

• Often used on brands like BMW, Mercedes, Audi, Ford, Peugeot and others.

• OJD range is constantly being updated to ensure that we meet the market demands for both existing and new cars.





Quality:

•Our wear sensors are made from high quality materials to ensure best possible product.

•Can withstand high radiant heat exposure and cold temperatures.

• Packed in polybags with Zip lock. Easy to store in warehouse or local stores.

Why change the Wear Sensors?

• Once a Brake Wear Sensor has been activated, it has to be replaced with a new one.


• If the Wear sensors is not changed, the warning light will continue to show.

 It is recommended to change the wear sensor when changing brake pads.



Notes





GUICK BRAKE®

OJD Automotive ApS Lerbaekvej 16 DK - 2680 Solroed Strand Tlf: (+45) 56 14 14 28 Fax: (+45) 56 14 68 06 E-mail: ojd@ojd.dk www.ojd.dk